

### KALLAVFETTNING 592614739

Last changed: 10/07/2012 Replaces date: 04/12/2008 Internal No: 592614739

### 1 Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name / designation KALLAVFETTNING 592614739

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

RELEVANT IDENTIFIED USES Degreasing agent

# 1.3 Details of the supplier of the safety data sheet

### NATIONAL MANUFACTURER/IMPORTER

Enterprise Tilia International AB Address Kverrestadsvägen 16 A Postal code 273 96 Tomelilla

Country **SVERIGE** 

tilia.order@live.se E-mail Telephone +46 417 322 40 +46 417 322 45 Fax

#### **CONTACT PERSONS**

Name E-mail Telephone Country Håkan Stridsberg

# 2 Hazards identification

### 2.1 Classification of the substance or mixture

**DPD Classification:** 

**CLP Classification:** 

Most important HSE hazard effects:

### 2.2 Label elements

Signal word: None

EC-Label:

### COMPOSITION

Dipropylenglykolmetyleter, DPM (10 - 13 %), Trinatriumnitilotriacetat monohydrat, NTA komplexbildare (0,1 - 0,3 %), Vatten (84 - 87 %), Fettalkoholetoxylat (~ 3 %)

# SUPPLEMENTAL HAZARD INFORMATION (EU)

Not classified.

#### 2.3 Other hazards

# **OTHER HAZARDS**

Splashing into eyes may cause smarting/irritation.

# 3 Composition/information on ingredients

# 3.2 Mixtures



### KALLAVFETTNING 592614739

Last changed: 10/07/2012 Replaces date: 04/12/2008 Internal No: 592614739

Ingredient name	Reg.No	EC No.	CAS No.	Conc. (wt%)	DPD-Classification	CLP-classification
Dipropylenglykolmetyleter, DPM		252-104- 2	34590-94- 8	10 - 13 %		
Trinatriumnitilotriacetat monohydrat, NTA komplexbildare		225-768- 6	18662-53- 8	0,1 - 0,3 %	,	Acute Tox. 4 H302 Eye Irrit. 2 H319
Vatten				84 - 87 %		
Fettalkoholetoxylat			68439-46- 3	~ 3 %	Xi,R41	Eye Dam. 1 H318

Full text of R-, H- and EUH-phrases: see section 16.

The EUH hazard statements mentioned in CLP-classification are only label elements.

#### 4 First aid measures

# 4.1 Description of first aid measures

#### INHALATION

Fresh air and rest.

### INGESTION

Drink plenty of water. Do not induce vomiting. To hospital or physician.

#### SKIN CONTACT

Wash skin with soap and water.

### **EYE CONTACT**

Remove contact lenses. Immediately rinse with water for several minutes. Get medical attention if any discomfort continues.

# 4.2 Most important symptoms and effects, both acute and delayed

# MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Provide eyewash, quick drench.

### 4.3 Indication of any immediate medical attention and special treatment needed

### 5 Fire-fighting measures

# 5.1 Extinguishing media

### SUITABLE EXTINGUISHING MEDIA:

Can be extinguished with water mist, powder, foam or carbon dioxide.

# UNSUITABLE EXTINGUISHING MEDIA

Do not use a direct water jet.

# 5.2 Special hazards arising from the substance or mixture

### **SPECIAL HAZARDS**

The product will not ignite before the water has evaporated. Vapours may ignite.

# 5.3 Advice for fire-fighters

### **ADVICE FOR FIREFIGHTERS**

Avoid breathing fire vapours. Wear air supplied respiratory protection.



### KALLAVFETTNING 592614739

Last changed: 10/07/2012 Replaces date: 04/12/2008 Internal No: 592614739

### OTHER INFORMATION

Keep combustibles away from spilled material. Cool the surroundings with water mist.

# 6 Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

### PERSONAL PRECAUTIONS

Wash skin with soap and water. Bear in mind the risk of slipping.

# 6.2 Environmental precautions

### **ENVIRONMENTAL PRECAUTIONS**

Prevent discharges into the sewage system, watercourses or lakes.

# 6.3 Methods and material for containment and cleaning up

#### METHODS AND MATERIAL

Small quantities may be flushed to drains with plenty of water. For handling of larger quantities: Collect with absorbent, non-combustible material into suitable containers.

### 6.4 Reference to other sections

# 7 Handling and Storage

### 7.1 Precautions for safe handling

### PRECAUTION FOR SAFE HANDLING

Avoid spillage. Bear in mind the risk of slipping.

# 7.2 Conditions for safe storage, including any incompatibilities

### CONDITION FOR SAFE STORAGE, INCLUDING ANY UNCOMPATIBILITIES

Store above freezing. Store at room temperature.

### 7.3 Specific end uses

# 8 Exposure controls / Personal protection

# 8.1 Control parameters

### **OEL** value

Ingredient name	CAS no.	Range	ppm	mg/m3	Year	Notification
Dipropylenglykolmetyleter, DPM	34590-94-8	15 min.	75	450	1993	
Dipropylenglykolmetyleter, DPM	34590-94-8	8 h	50	300	1993	
R=Toxic for reproduction, H=Skin absorption, K=Carcinogenic, A=Sensitising, T=Upper limit, M=Mutagenic						

### 8.2 Exposure controls

### APPROPRIATE ENGINEERING CONTROLS

Use only in well-ventilated areas.

#### **EYE PROTECTION**

Wear splash-proof eye goggles to prevent any possibility of eye contact.

# SKIN PROTECTION

Use suitable protective clothing, as necessary.



# KALLAVFETTNING 592614739

Last changed: 10/07/2012 Replaces date: 04/12/2008 Internal No: 592614739

### HAND PROTECTION

Protective gloves (butyl rubber, nitrile rubber).

### RESPIRATORY PROTECTION

A respirator must be used if the concentrations exceed the hygienic limit values. If necessary, respirator with A filter (brown).

# 9 Physical and chemical Properties

# 9.1 Information on basic physical and chemical properties

PHYSICAL STATE Liquid.
COLOUR Clear.

ODOUR Weak odour.
WATER SOLUBILITY Water soluble.

Parameter	Value/unit	Method/reference	Observation
pH consentrate	11,7		
pH in solution	No data		
Melting point	No data		
Freezing point	No data		
Initial boiling point and boiling range	No data		
Flash point	No data		
Evaporation rate	No data		
Flammability (solid, gas)	No data		
Flammability limits	No data		
Explotion limits	No data		
Vapour pressure	No data		
Vapour density	No data		
Relative density	No data		
Partition coefficient	No data		1)
Auto-ignition temprature	No data		
Decomposition temprature	No data		
Viscosity	No data		

# 9.2 Other safety information

Parameter	Value/unit	Method/reference	Observation
Density	990 kg/m³		

Note no.	Comments	
1	Not translated to English	

# 10 Stability and Reactivity

# 10.1 Reactivity

# 10.2 Chemical stability

### CHEMICAL STABILITY

Stable under recommended storage and handling conditions.

# 10.3 Possibility of hazardous reactions

### 10.4 Conditions to avoid



### KALLAVFETTNING 592614739

Last changed: 10/07/2012 Replaces date: 04/12/2008 Internal No: 592614739

### **CONDITIONS TO AVOID**

Avoid contact with oxidizing substances and strong acids. Avoid contact with bases.

# 10.5 Incompatible materials

# 10.6 Hazardous decomposition products:

# HAZARDOUS DECOMPOSITION PRODUCTS

Nitrous gases (toxic if inhaled) may be formed on heating or in a fire.

# 11 Toxicological information

# 11.1 Toxicological effects

Fettalkoholetoxylat				
Route of exposure	Exposure time	Value/unit	Species	Source
LD50 (Oral)		> 1000 mg/kg	råtta	

Dipropylenglykolmetyleter, DPM					
Route of exposure	Exposure time	Value/unit	Species	Source	
LD50 (Dermal)		> 19000 mg/kg	kanin		
LD50 (Oral)		> 1000 mg/kg	råtta		

Trinatriumnitilotriacetat monohydrat, NTA komplexbildare				
Route of exposure	Exposure time	Value/unit	Species	Source
LD50 (Oral)		> 1000 mg/kg	råtta	

### **ACUTE TOXICITY - ORAL**

May cause nausea and stomach ache. Risk of aspiration with chemical pneumonia. Risk of kidney damage at high concentrations.

### **ACUTE TOXICITY - DERMAL**

May cause irritation to sensitive persons. Repeated exposure may cause skin dryness or cracking.

### **ACUTE TOXICITY - INHALATION**

A high concentration may cause symptoms such as coughing, headache, dizziness, nausea, vomiting and breathing difficulties.

# SERIOUS EYE DAMAGE/IRRITATION

SurfactantMay cause redness, itching.

### CARCINOGENICITY

Suspected of being carcinogenic to humans.;

# 12 Ecological information

# 12.1 Toxicity



# KALLAVFETTNING 592614739

Last changed: 10/07/2012 Replaces date: 04/12/2008 Internal No: 592614739

Fettalkoholetoxylat				
Test	Exposure time	Value/unit	Species	Source
EC50 (Acute Daphnia)		~ 10 mg/l		

Dipropylenglykolmetyleter, DPM					
Test	Exposure time	Value/unit	Species	Source	
EC50 (Acute Daphnia)		1919 mg/l	Vattenloppa		
LC50 (Acute fish)		> 150 mg/l	Notropis atherinoides		
LC50 (Acute fish)		> 10000 mg/l	Pimephales promelas		

Trinatriumnitilotriacetat monohydrat, NTA komplexbildare					
Test Exposure time Value/unit Species Source					
EC50 (Acute algae)	96h	331 mg/l			
EC50 (Acute Daphnia)	48h	780 mg/l			
LC50 (Acute fish)	96h	98 mg/l	Regnbågslax		

# 12.2 Persistence and degradability

### **DEGRADABILITY**

Readily biodegradable. Easily degradable. Biological degradability = 75 % after 28 days. Biological degradability = 90 % after 28 days. Degrades slowly under anaerobic conditions

# 12.3 Bioaccumulative potential

### **ACCUMULATION**

Bioaccumulation improbable.

# 12.4 Mobility in soil

### 12.5 Results of PBT and vPvB assessment

### 12.6 Other adverse effects

### **OTHER EFFECTS**

Occasional major emissions or frequently recurring minor emissions may have a harmful or disturbing effect.

# 13 Disposal considerations

# 13.1 Waste treatment methods

### **GENERAL REGULATIONS**

Treat as dangerous waste. Destroyed through combustion in an approved facility or dumped at a refuse dump according to local regulations. Empty packaging is sent for recycling.

# 14 Transport information

Classified as Dangerous Goods: No

Land transport	t (ADR/RID)			
14.1 UN-No.	Not applicable.	14.4 Packing group	Not applicable.	
14.2 Proper Shipping Name	Not applicable.	14.5 Environmental hazards	Not applicable.	
14.3 Class(es)	Not applicable.			
Hazard label(s)	Not applicable.			
Hazard ID:	Not applicable.	Tunnel restriction code	Not applicable.	



### KALLAVFETTNING 592614739

Last changed: 10/07/2012 Replaces date: 04/12/2008 Internal No: 592614739

Inland water ways transport (ADN)

14.1 UN-No. Not applicable. 14.4 Packing Not applicable.

group

14.2 ProperNot applicable.14.5Not applicable.

Shipping Environmental Name hazards

14.3 Class(es) Not applicable.

Enviromentally Not applicable. hazardous in

tank-vessels

Sea transport (IMDG)

**14.1 UN-No.** Not applicable. **14.4 Packing** Not applicable.

group

14.2 Proper Not applicable. 14.5 Not applicable.

Shipping Environmental Name hazards

14.3 Not applicable.

Class(es)

Sub Risk: Not applicable. IMDG Code Not applicable.

IMDG Code Not applicable. segregation

group Not applicable.

pollutant EMS: Not applicable.

Air transport (ICAO-TI / IATA-DGR)

14.1 UN-No. Not applicable. 14.4 Packing Not applicable.

group
14.2 Proper Not applicable. 14.5

14.2 ProperNot applicable.14.5Not applicable.ShippingEnvironmental

Name Environmen hazards

14.3 Not applicable.
Class(es)
Hazard Not applicable.
label(s)

# 15 Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2 Chemical Safety Assessment

### OTHER INFORMATION

Not classified.

# 16 Other information

# LIST OF RELEVANT R-PHRASES

R22 Harmful if swallowed.
R36 Irritating to eyes.

R41 Risk of serious damage to eyes.

# LIST OF RELEVANT H-STATEMENTS

H302 Harmful if swallowed.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.