

WOLFRAMELEKTROD WL15 203342001

Last changed: 14/06/2012 Internal No: 203342001

1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name / designation WOLFRAMELEKTROD WL15 203342001

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.3 Details of the supplier of the safety data sheet

NATIONAL MANUFACTURER/IMPORTER

Enterprise Luna Verktyg & Maskin AB

Postal code 441 80 Alingsås

Country Sverige

E-mail mikael.olsson@luna.se

 Internet
 www.luna.se

 Telephone
 +46 322 60 60 00

 Fax
 +46 60 64 43

CONTACT PERSONS

Name	E-mail	Telephone	Country	
MIL I OL				

Mikael Olsson

2 Hazards identification

2.1 Classification of the substance or mixture

DPD Classification:

CLP Classification:

Most important HSE hazard effects:

2.2 Label elements

Signal word: None

EC-Label: No

COMPOSITION

Wolfram (90 - 100 %), Dilantanoxid (1 - 2 %)

2.3 Other hazards

3 Composition/information on ingredients

3.2 Mixtures

Ingredient name	Reg.No	EC No.	CAS No.	Conc. (wt%)	DPD-Classification	CLP-classification
Wolfram		231-143-9	7440-33-7	90 - 100 %		
Dilantanoxid		215-200-5	1312-81-8	1 - 2 %		Skin Irrit. 2 H315 Eye Irrit. 2 H319 Resp. Sens. 1 H334

Full text of R-, H- and EUH-phrases: see section 16.

The EUH hazard statements mentioned in CLP-classification are only label elements.



WOLFRAMELEKTROD WL15 203342001

Last changed: 14/06/2012 Internal No: 203342001

4 First aid measures

4.1 Description of first aid measures

INHALATION

Move the exposed person to fresh air at once.

INGESTION

Rinse the mouth with water. Contact physician if larger quantity has been consumed.

SKIN CONTACT

Wash skin with soap and water. In the event of burn injury: Cool immediately with large quantities of water. Contact physician.

EYE CONTACT

Immediately rinse with water for several minutes. Get medical attention if any discomfort continues.

GENERAL

In the event of electric shock: Switch off the power source. If necessary, start resuscitation and call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

5 Fire-fighting measures

5.1 Extinguishing media

SUITABLE EXTINGUISHING MEDIA:

Extinguishing agent: cement or dry sand.

UNSUITABLE EXTINGUISHING MEDIA

Water

5.2 Special hazards arising from the substance or mixture

SPECIAL HAZARDS

Vapours that are harmful to health are formed on heating. Dust entails a moderate fire risk in contact with sparks or an open fire. Note the risk of dust explosion.

5.3 Advice for fire-fighters

ADVICE FOR FIREFIGHTERS

Use protective clothing that is resistant to chemicals. Use a fresh-air mask.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

PERSONAL PRECAUTIONS

Use personal protective equipment.

6.2 Environmental precautions

ENVIRONMENTAL PRECAUTIONS

Prevent the spillage from reaching watercourses or the sewage system and contaminating the soil and vegetation. Inform the emergency service in the event of major spillage.



WOLFRAMELEKTROD WL15 203342001

Last changed: 14/06/2012 Internal No: 203342001

6.3 Methods and material for containment and cleaning up

METHODS AND MATERIAL

Small quantities may be flushed to drains with plenty of water. Major spillage should be banked with sand, earth or other inert absorption material and collected.

6.4 Reference to other sections

7 Handling and Storage

7.1 Precautions for safe handling

PRECAUTION FOR SAFE HANDLING

Provide good ventilation. If necessary, boosted ventilation, e.g. local extraction. Avoid handling which leads to dust formation.

7.2 Conditions for safe storage, including any incompatibilities

CONDITION FOR SAFE STORAGE, INCLUDING ANY UNCOMPATIBILITIES

Keep in a cool place. Store dry.

7.3 Specific end uses

8 Exposure controls / Personal protection

8.1 Control parameters

OEL value

Ingredient name	CAS no.	Range	ppm	mg/m3	Year	Notification
Wolfram	7440-33-7	8 h		5		
R=Toxic for reproduction, H=Skin absorption, K=Carcinogenic, A=Sensitising, T=Upper limit, M=Mutagenic						

8.2 Exposure controls

APPROPRIATE ENGINEERING CONTROLS

Provide good ventilation. Mechanical ventilation or local exhaust ventilation may be required. Avoid direct contact. Avoid handling which leads to dust formation.

EYE PROTECTION

Use approved safety goggles or face shield.

SKIN PROTECTION

Use suitable protective clothing, as necessary.

HAND PROTECTION

Use protective gloves. Wash with soap and water and apply skin cream, if necessary.

RESPIRATORY PROTECTION

In case of insufficient ventilation, wear suitable respiratory equipment.

9 Physical and chemical Properties

9.1 Information on basic physical and chemical properties

PHYSICAL STATE Rods.

COLOUR Grey. Metal-coloured.

ODOUR Odourless.



WOLFRAMELEKTROD WL15 203342001

Last changed: 14/06/2012 Internal No: 203342001

WATER SOLUBILITY Insoluble in water.

Parameter	Value/unit	Method/reference	Observation
pH consentrate	No data		
pH in solution	No data		
Melting point	~ 3400 °C		
Freezing point	No data		
Initial boiling point and boiling range	~ 5900 °C		
Flash point	No data		
Evaporation rate	No data		
Flammability (solid, gas)	No data		
Flammability limits	No data		
Explotion limits	No data		
Vapour pressure	No data		
Vapour density	No data		
Relative density	No data		
Partition coefficient	No data		
Auto-ignition temprature	No data		
Decomposition temprature	No data		
Viscosity	No data		

9.2 Other safety information

Parameter	Value/unit	Method/reference	Observation
Density	18,6 g/cm ³	20°C	

Note no. Comments

10 Stability and Reactivity

10.1 Reactivity

10.2 Chemical stability

CHEMICAL STABILITY

Stable under recommended storage and handling conditions.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

CONDITIONS TO AVOID

Avoid handling which leads to dust formation.

10.5 Incompatible materials

10.6 Hazardous decomposition products:

11 Toxicological information

11.1 Toxicological effects

ACUTE TOXICITY - DERMAL

Avoid dust formation. May be irritating.

ACUTE TOXICITY - INHALATION

Dust may irritate the respiratory tract. Avoid breathing fire vapours. May be harmful to health.



WOLFRAMELEKTROD WL15 203342001

Last changed: 14/06/2012 Internal No: 203342001

SERIOUS EYE DAMAGE/IRRITATION

Avoid dust formation. May be irritating.

OTHER TOXICOLOGICAL INFORMATION

Avoid dust formation. Irritating to eyes and respiratory system. Irritating to skin.

12 Ecological information

12.1 Toxicity

12.2 Persistence and degradability

DEGRADABILITY

Not degradable.

12.3 Bioaccumulative potential

12.4 Mobility in soil

MOBILITY

Insoluble in water.

12.5 Results of PBT and vPvB assessment

12.6 Other adverse effects

13 Disposal considerations

13.1 Waste treatment methods

GENERAL REGULATIONS

Non-dangerous waste. Follow local regulations.

CATEGORY OF WASTE

EWC-kod 20 01 4

14 Transport information

Land transport (ADP/PLD)

Classified as Dangerous Goods: No

14.1 UN-No.	Not applicable.	14.4 Packing	Not applicable.
		group	
14.2 Proper	Not applicable.	14.5	Not applicable.
Shipping		Environmental	
Name		hazards	
14.3	Not applicable.		
Class(es)			
Hazard	Not applicable.		
label(s)			
Hazard ID:	Not applicable.	Tunnel	Not applicable.
		restriction	
		code	



WOLFRAMELEKTROD WL15 203342001

Last changed: 14/06/2012 Internal No: 203342001

14.5

hazards

Environmental

Not applicable.

Not applicable.

Inland water ways transport (ADN)

14.4 Packing 14.1 UN-No. Not applicable. Not applicable. group

14.2 Proper

Not applicable.

Shipping Name

Not applicable. 14.3 Class(es)

Enviromentally Not applicable.

hazardous in

tank-vessels

Sea transport (IMDG)

14.1 UN-No. Not applicable. 14.4 Packing Not applicable.

group 14.5 14.2 Proper Not applicable.

Environmental

Shipping Name hazards

14.3 Not applicable. Class(es)

Sub Risk: Not applicable.

IMDG Code Not applicable.

segregation group

Marine

Not applicable.

pollutant EMS: Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN-No. Not applicable. 14.4 Packing Not applicable.

group

14.2 Proper 14.5 Not applicable. Not applicable. Environmental

Shipping Name

14.3 Not applicable.

Class(es)

Hazard Not applicable label(s)

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

hazards

15.2 Chemical Safety Assessment

16 Other information

LIST OF RELEVANT R-PHRASES

R36/37/38 Irritating to eyes, respiratory system and skin.

LIST OF RELEVANT H-STATEMENTS

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms of breathing difficulties if inhaled